

# Forni

## Kilns

### Forni elettrici computerizzati - Computerized electric kilns

ALFA 1



**CODICE/CODE MHC 773**

Temperatura max: 1100°C  
 Dimensioni utili interne cm.: 38H x 32L x 35P  
 Dimensioni esterne cm.: 69H x 69L x 63P  
 Volume: 43 Litri  
 Voltaggio: 220 volt  
 Assorbimento: 2,3 Kw  
 Programmi nr: 15  
 Peso Kg.: 60

*Max temperature: 1100°C*  
*Interior dimensions cm.: 38H x 32L x 35P*  
*Exterior dimensions cm.: 69H x 69L x 63P*  
*Loading volume: 43 Liters*  
*Voltage: 220 volt*  
*Power input: 2,3 Kw*  
*Programs no.: 15*  
*Weight Kgs.: 60*

ALFA 2



**CODICE/CODE MHC 749**

Temperatura max: 1100°C  
 Dimensioni utili interne cm.: 44H x 40L x 42P  
 Dimensioni esterne cm.: 75H x 75L x 71P  
 Volume: 74 Litri  
 Voltaggio: 220 volt  
 Assorbimento: 2,9 Kw  
 Programmi nr: 15  
 Peso Kg.: 80

*Max temperature: 1100°C*  
*Interior dimensions cm.: 44H x 40L x 42P*  
*Exterior dimensions cm.: 75H x 75L x 71P*  
*Loading volume: 74 Liters*  
*Voltage: 220 volt*  
*Power input: 2,9 Kw*  
*Programs no.: 15*  
*Weight Kgs.: 80*

ALFA 3



**CODICE/CODE MHC 774**

Temperatura max: 1100°C  
 Dimensioni utili interne cm.: 60H x 42L x 42P  
 Dimensioni esterne cm.: 90H x 78L x 71P  
 Volume: 106 Litri  
 Voltaggio: 220 o 380 volt  
 Assorbimento: 4,3 Kw  
 Programmi nr: 15  
 Peso Kg.: 100

*Max temperature: 1100°C*  
*Interior dimensions cm.: 60H x 42L x 42P*  
*Exterior dimensions cm.: 90H x 78L x 71P*  
*Loading volume: 106 Liters*  
*Voltage: 220 or 380 volt*  
*Power input: 4,3 Kw*  
*Programs no.: 15*  
*Weight Kgs.: 100*

# Forni

## Kilns

### Forni elettrici computerizzati - Computerized electric kilns

ALFA 4



**CODICE/CODE MHC 775**

Temperatura max: 1100°C  
 Dimensioni utili interne cm.: 60H x 52L x 52P  
 Dimensioni esterne cm.: 95+50\*H x 92L x 84P  
 Volume: 162 Litri  
 Voltaggio: 220 o 380 volt  
 Assorbimento: 6 Kw  
 Programmi nr: 15  
 Peso Kg.: 150

*Max temperature: 1100°C*  
*Interior dimensions cm.: 60H x 52L x 52P*  
*Exterior dimensions cm.: 95+50\*H x 92L x 84P*  
*Loading volume: 162 Liters*  
*Voltage: 220 or 380 volt*  
*Power input: 6 Kw*  
*Programs no.: 15*  
*Weight Kgs.: 150*

\* Alzata cavalletto / stand height

ALFA 5



**CODICE/CODE MHC 803**

Temperatura max: 1100°C  
 Dimensioni utili interne cm.: 63H x 60L x 72P  
 Dimensioni esterne cm.: 102+50\*H x 108L x 112P  
 Volume: 272 Litri  
 Voltaggio: 380 volt  
 Assorbimento: 8,5 Kw  
 Programmi nr: 15  
 Peso Kg.: 250

*Max temperature: 1100°C*  
*Interior dimensions cm.: 63H x 60L x 72P*  
*Exterior dimensions cm.: 102+50\*H x 108L x 112P*  
*Loading volume: 272 Liters*  
*Voltage: 380 volt*  
*Power input: 8,5 Kw*  
*Programs no.: 15*  
*Weight Kgs.: 250*

\* Alzata cavalletto / stand height

# Forni

## Kilns

### Forni elettrici computerizzati - *Computerized electric kilns*

ALFA 6



CODICE/CODE MHC 643

Temperatura max: 1100°C  
 Dimensioni utili interne cm.: 85H x 70L x 85P  
 Dimensioni esterne cm.: 170H x 128L x 140P  
 Volume: 500 Litri  
 Voltaggio: 380 volt  
 Assorbimento: 15 Kw  
 Programmi nr: 15  
 Peso Kg.: 450

*Max temperature: 1100°C  
 Interior dimensions cm.: 85H x 70L x 85P  
 Exterior dimensions cm.: 170H x 128L x 140P  
 Loading volume: 500 Liters  
 Voltage: 380 volt  
 Power input: 15 Kw  
 Programs no.: 15  
 Weight Kgs.: 450*

ALFA 7



CODICE/CODE MHC 261

Temperatura max: 1100°C  
 Dimensioni utili interne cm.: 90H x 90L x 124P  
 Dimensioni esterne cm.: 192H x 169L x 206P  
 Volume: 1000 Litri  
 Voltaggio: 380 volt  
 Assorbimento: 29 Kw  
 Programmi nr: 15  
 Peso Kg.: 600

*Max temperature: 1100°C  
 Interior dimensions cm.: 90H x 90L x 124P  
 Exterior dimensions cm.: 192H x 169L x 206P  
 Loading volume: 1000 Liters  
 Voltage: 380 volt  
 Power input: 29 Kw  
 Programs no.: 15  
 Weight Kgs.: 600*

# Forni

## Kilns

### Forni speciali - Special kilns

BETA 2

CODICE/CODE MHC 2749



MHC 294  
Base forno / Kiln stand

Temperatura max: 1100°C  
Dimensioni utili interne cm.: 44H x 42L x 40P  
Dimensioni esterne cm.: 69H x 63L x 67P  
Volume: 74 Litri  
Voltaggio: 220 volt  
Assorbimento: 2,9 Kw  
Programmi nr: 4  
Peso Kg.: 80

Max temperature: 1100°C  
Interior dimensions cm.: 44H x 42L x 40P  
Exterior dimensions cm.: 69H x 63L x 67P  
Loading volume: 74 Liters  
Voltage: 220 volt  
Power input: 2,9 Kw  
Programs no.: 4  
Weight Kgs.: 80

Istruzioni / Instructions



KIT PER FORNO / KILN KIT

CODICE/CODE MHC 3749



- 1 base forno
- 1 piastra refrattaria
- 4 colonnine cm. 10
- 1 x kg. 12,5 argilla rossa
- 1 x kg. 12,5 impasto bianco
- 1 kit modellazione
- 6 x 59 ml. engobbi assortiti
- 6 x 30 ml. colori assortiti
- 6 x 118 ml. smalti assortiti
- 1 kiln stand
- 1 refractory kiln shelf
- 4 refract. shelf support cm. 10
- 1 x kgs. 12,5 red clay
- 1 x kgs. 12,5 white clay
- 1 pottery tool kit
- 6 x 2 oz. engobes
- 6 x 1 oz. colours
- 6 x 4 oz. glazes

Kit disponibile per forni:  
BETA 2 - ALFA 1 - ALFA 2 - ALFA 3

Kit available for kilns:  
BETA 2 - ALFA 1 - ALFA 2 - ALFA 3

# Forni

## Kilns

### Forni speciali - Special kilns

DELTA 40 HT

CODICE/CODE MHC 5749



#### Forno elettrico computerizzato alta temperatura

|                               |                    |
|-------------------------------|--------------------|
| Temperatura max:              | 1300°C             |
| Dimensioni utili interne cm.: | 36H x 34L x 34P    |
| Camera di cottura:            | mattoni refrattari |
| Volume:                       | 41 Litri           |
| Voltaggio:                    | 230 volt           |
| Assorbimento:                 | 2,9 Kw             |
| Processore:                   | palmare estraibile |
| Programmi nr:                 | 9                  |
| Peso Kg.:                     | 85                 |

#### High temperature computerized electric kiln

|                          |                   |
|--------------------------|-------------------|
| Max temperature:         | 1300°C            |
| Interior dimensions cm.: | 36H x 34L x 34P   |
| Firing chamber:          | refractory bricks |
| Loading volume:          | 41 Liters         |
| Voltage:                 | 230 volt          |
| Power input:             | 2,9 Kw            |
| Controller:              | portable          |
| Programs no.:            | 9                 |
| Weight Kgs.:             | 85                |

#### Istruzioni / Instructions



CODICE/CODE MHC 6749 - Kit per forno / Kiln kit (OPTIONAL)

- 3 piastre refrattarie cm. 30x30 / 3 refractory kiln shelves cm. 30x30
- 4 colonnine cm. 2,5 / 4 refract. shelf support cm. 2,5
- 4 colonnine cm. 5 / 4 refract. shelf support cm. 5
- 4 colonnine cm. 7,5 / 4 refract. shelf support cm. 7,5
- 4 colonnine cm. 10 / 4 refract. shelf support cm. 10



CODICE/CODE MHC 294 - Base forno / Kiln stand (OPTIONAL)



Misura / Size  
cm. 66H x 78L x 60P

# Forni

## Kilns

### Forni speciali - Special kilns

GAMMA 2



CODICE/CODE MHC 285

#### Forno elettrico computerizzato alta temperatura

Temperatura max: 1280°C  
Dimensioni utili interne cm: 40H x 40L x 40P  
Dimensioni esterne cm: 89H x 105L x 91P  
Volume: 64 Litri  
Voltaggio: 380 o 220 volt  
Assorbimento: 6 Kw  
Programmi nr: 15  
Peso Kg.: 150

#### High temperature computerized electric kiln

Max temperature: 1280°C  
Interior dimensions cm: 40H x 40L x 40P  
Exterior dimensions cm: 89H x 105L x 91P  
Loading volume: 64 Liters  
Voltage: 380 or 220 volt  
Power input: 6 Kw  
Programs no.: 15  
Weight Kgs.: 150

STROMBOLI



CODICE/CODE MHC 547

#### Forno a gas per tecnica Raku

Temperatura max: 1200°C  
Dimensioni utili interne cm: 38H x 38L x 46P  
Dimensioni esterne cm: 51H x 51L x 59P  
Volume: 65 Litri  
Alimentazione: GPL  
Peso Kg.: 50

Corredato di bruciatore e accessori

#### LPG kiln for Raku technique

Max temperature: 1200°C  
Interior dimensions cm: 38H x 38L x 46P  
Exterior dimensions cm: 51H x 51L x 59P  
Loading volume: 65 Liters  
Powered: LPG  
Weight Kgs.: 50  
With burner and accessories

VESUVIO



CODICE/CODE MHC 490

#### Forno modulare elettrico computerizzato

Temperatura max: 1100°C  
Dimensioni utili interne cm: 38H x 38L x 57,5P  
Dimensioni esterne cm: 51H x 51L x 77,5P  
Volume: 80 Litri  
Voltaggio: 220 volt  
Assorbimento: 3 Kw  
Programmi nr: 4  
Peso Kg.: 65

Completo di accessori

#### Computerized top load electric kiln

Max temperature: 1100°C  
Interior dimensions cm: 38H x 38L x 57,5P  
Exterior dimensions cm: 51H x 51L x 77,5P  
Loading volume: 80 Liters  
Voltage: 220 volt  
Power input: 3 Kw  
Programs no.: 4  
Weight Kgs.: 65  
With accessories